

The design of ultrafast routes to synthesis carbon nanotubes by microwave

A Thesis

presented to

the Faculty of the Graduate School

at the University of Missouri-Columbia

In Partial Fulfillment

of the Requirements for the Degree

Master of Science

by

DU TANG

Dr. Sheila N. Baker, Thesis Supervisor

MAY 2014

The undersigned, appointed by the dean of the Graduate School, have examined the thesis entitled

The design of ultrafast routes to synthesis carbon nanotubes by microwave

Presented by Du Tang,

a candidate for the degree of master of Science,

and hereby certify that, in their opinion, it is worthy of acceptance.

Professor Sheila N. Baker

Professor Matthew Bernards

Professor Gary Baker

DEDICATION

This thesis is dedicated to my amazing parents, cousins, and friends that have helped and supported me all the way since the beginning of my research. I could not have done it without you.

Also, this thesis is dedicated to all those who believe the richness of learning.

ACKNOWLEDGEMENTS

First and foremost, I would like to express my sincere gratitude to Dr. Sheila N. Baker for the valuable guidance and advice. She inspired me greatly to work in my research. Her willingness to motivate me contributed tremendously to my research project in the past three years.

I would also like to thank Dr. Matthew Bernards and Dr. Gary Baker for their willingness to be members of my thesis committee and for offering me with a good environment, facilities and kind help to complete this research project. Also, I wish to thank Jing Wang who has been supporting me with helpful suggestions and assurance throughout the whole research project. Further, I would like to thank Nicholas Brownrigg for his excellent work at the very beginning of this project. In addition, I wish to thank all the members of Dr. Sheila N. Baker's research group for their help and encouragement. Finally, an honorable mention goes to my family and friends for their understandings and supports on us in completing this project

ACKNOWLEDGEMENTS	ii
Table of Figures	v
Table of Tables	viii
ABSTRACT	ix
CHAPTER 1	1
INTRODUCTION	1
1.1 Definition of carbon nanotubes	1
1.2 Traditional synthesis methods of carbon nanotubes	3
1.3 Microwave irradiation	5
1.4 Application of carbon nanotubes	8
1.5 Carbon nanocoils	12
1.6 Motivation and objective for this research	14
CHAPTER 2	16
Experimental Procedures and Instruments	16
.	16
2.1 Experimental procedures: direct irradiation route	16
2.1.1 Raw Materials	16
2.2 Experimental procedures: irradiation route of solid mixture in organic solvents	17
2.2.1 Raw Materials	17
2.2.2 Experimental process	17
2.3 Experimental procedures: irradiation route on glass slides	18
2.3.1 Raw Materials	18
2.3.2 Experimental Process	18
2.4 Instruments	20
2.4.1 Microwave oven	20
2.4.2 Scanning electron microscope	20
2.4.3 Transmission electron microscope	22
CHAPTER 3	24
Result analysis and comparison	24
3.1 Direct irradiation route	24
3.2 Irradiation route of solid mixture in organic solvents	33

3.3 Irradiation route on glass slides: vapor/solid phase reaction	38
CHAPTER 4	58
Conclusion and future work	58
4.1 Future work	58
4.2 Conclusion	59
Reference	60

Table of Figures

Figure1.1 typical TEM images of carbon nanotubes (Iijima 1991)	2
Figure1.2 Temperature profile of system after 60s heating by microwave irradiation and compared with oil-bath heating (Schanche 2003).....	6
Figure1.3 TEM image of solid carbon nanocoils (Varadan and Xie 2002).....	13
Figure1.4 TEM images of tubular carbon nanocoils (Csató, Szabó et al. 2012).....	13
Figure2.1 CEM Explorer microwave oven used in these studies	20
Figure2.2 Hitachi S-4700 cold field emission SEM	21
Figure2.3 JEOL 1400 TEM	23
Figure3.1.1 TEM image of sole graphite nanoplatelets in the condition of 10s, 100W heating	25
Figure3.1.2 TEM image of sole graphite nanoplatelets in the condition of 30s, 100W heating	26
Figure3.1.3 TEM image of ferrocene-graphite nanoplatelets mixture in the condition of 10s, 100W heating	26
Figure3.1.4 TEM image of ferrocene-graphite nanoplatelets mixture in the condition of 15s, 100W heating	28
Figure3.1.5 TEM image of ferrocene-graphite nanoplatelets mixture in the condition of 30s, 100W heating	28
Figure3.1.6 diameters distribution of carbon nanotubes in ferrocene-graphite nanoplatelets mixture sample in the condition of 15s, 100W heating.....	29
Figure3.1.7 TEM image of bis-zirconium-graphite nanoplatelets mixture in the condition of 10s, 100W heating.....	30
Figure3.1.8 TEM image of bis-zirconium-ferrocene-graphite nanoplatelets mixture in the condition of 10s, 100W heating.....	31
Figure3.2.1 SEM image of ferrocene-graphite nanoplate-ethylene glycol in the condition of 3min, 100W heating.....	35
Figure3.2.2 SEM image of ferrocene-graphite nanoplate-ethanol in the condition of 3min, 100W heating.....	35
Figure3.2.3 SEM image of raw graphite nanoplate without any further processing	36
Figure3.2.4 SEM image of ferrocene-graphite nanoplate-ethylene glycol in the condition of 3min, 200W heating.....	37
Figure3.2.5 SEM image of ferrocene-graphite nanoplate-ethylene glycol in the condition of 3min, 300W heating.....	37
Figure3.3.1 SEM image of ferrocene- TiO ₂ -ethanol sample on normal flat glass slide in the condition of 10min, 200W heating.....	40

Figure3.3.2 SEM image of ferrocene-TiO ₂ -ethanol sample on normal flat glass slide in the condition of 10min, 200W heating.....	40
Figure3.3.3 SEM image of ferrocene-TiO ₂ -ethylene glycol sample on normal flat glass slide in the condition of 7min, 200W heating	41
Figure3.3.4 TEM image of ferrocene-ethanol sample on ITO slides in the condition of 30s, 200W heating	42
Figure3.3.5 TEM image of ferrocene-ethanol sample on ITO slides in the condition of 40s, 200W heating	43
Figure3.3.6 TEM image of ferrocene-ethanol sample on ITO slides in the condition of 50s, 200W heating	43
Figure3.3.7 TEM image of ferrocene-ethanol sample on ITO slides in the condition of 100s, 200W heating.....	44
Figure3.3.8 TEM image of ferrocene-ethanol sample on ITO slides in the condition of 3min, 200W heating.....	44
Figure3.3.9 TEM image of ferrocene-ethanol sample on ITO slides in the condition of 5min, 200W heating.....	45
Figure3.3.10 TEM image of ferrocene-ethanol sample on ITO slides in the condition of 6.5min, 200W heating.....	45
Figure3.3.11 TEM image of ferrocene-ethanol sample on ITO slides in the condition of 10min, 200W heating.....	46
Figure3.3.12 diameters distribution of carbon nanotubes for ferrocene-ethanol sample on ITO slides in the condition of 40s, 200W heating.....	47
Figure3.3.13 diameters distribution of carbon nanotubes for ferrocene-ethanol sample on ITO slides in the condition of 50s, 200W heating.....	48
Figure3.3.14 temperature and pressure profile of ferrocene-ethanol sample on ITO slides in the condition of 40s, 200W heating.....	50
Figure3.3.15 temperature and pressure profile of ferrocene-ethanol sample on ITO slides in the condition of 50s, 200W heating.....	51
Figure3.3.16 temperature and pressure profile of ferrocene-ethanol sample on ITO slides in the condition of 100s, 200W heating	51
Figure3.3.17 temperature and pressure profile of ferrocene-ethanol sample on ITO slides in the condition of 3min, 200W heating.....	52
Figure3.3.18 temperature and pressure profile of ferrocene-ethanol sample on ITO slides in the condition of 5min, 200W heating.....	52
Figure3.3.19 temperature and pressure profile of ferrocene-ethanol sample on ITO slides in the condition of 6min 30s, 200W heating	53
Figure3.3.20 temperature and pressure profile of ferrocene-ethanol sample on ITO slides in the condition of 10min, 200W heating	53
Figure3.3.21 TEM images of carbon nanocoils in ferrocene-ethanol sample on ITO slide in the condition of 10min, 200W heating	54
Figure3.3.22 TEM images of carbon nanocoils in ferrocene-ethanol sample on ITO slide in the condition of 5min, 200W heating.....	55
Figure3.3.23 TEM images of carbon nanocoils in ferrocene-ethanol sample on ITO slide in the condition of 3min, 200W heating.....	55
Figure3.3.24 TEM images of carbon nanocoils in ferrocene-ethanol sample on ITO slide in the condition of 100s, 200W heating.....	56

Figure 3.3.25 TEM image of ferrocene-ethanol sample on ITO slides in the condition of 10min, 200W heating..... 57

Table of Tables

Table3.2.1 List of different organic solvents and their dielectric loss constants.....	34
Table3.3.1 coil pitch, fiber diameter, and coil diameter of carbon nanocoils	56